



RINA DEEP SERIES

Ceiling

Wall

spacer surface


direct surface

H75 mm

H100 mm


H75 mm



Available Dimensions






RINA DEEP









Ø300 mm		DIMENSIONS		Ø400 mm		Ø600 mm	
		PROFILE					
							
		POWER *		15 W 23 W 30 W		*mt	
		LIGHT FLUX *		5100 lm		*mt	
		COLOR TEMPERATURE		2700K 3000K 4000K			
		CRI		80 CRI/90 CRI			
		BEAMWIDTH					
		CONTROL TYPES		On/Off DALI Bluetooth			
		DIFFUSORS		Opal Microprismatic			
		LIGHT SOURCE COLORS		Black Gray Anthracite White Color by RAL Special Colors			
		MOUNTING TYPES					
							
							
							






Special Colors Selection

SUPRANODIC

			
PSC13 LOTUS	PSC07 HALO	PSC12 CHAMPAGNE	PSC10 GOLD
			
PSC06 DARK BRONZE	PSC05 MEDIUM BRONZE	PSC11 LIGHT BRONZE	PSC14 AUBERGINE

ICONIC

		
PSC02 NOBLE BRONZE	PSC01 ARCTIC ICE	PSC09 SUNNY GOLD
		
PSC03 VOLCANIC ASH	PSC04 BROWN	PSC08 TIMELESS GOLD

TIMELESS